



Quality Garden Buildings
Established 1982

Agent:

Addison Ousebank

Willow Vale

Pavenham Road

Oakley, Bedford

MK43 7SZ

Tel: 01234 825106

www.shedcentre.com

www.gardenbuildingcentre.com



SHEDS

SUMMERHOUSES

PLAYHOUSES

HOME OFFICE & GARDEN ROOMS

ANIMAL HOUSING

Company History

Established in 1982, A&J Sectional Buildings is a family run business, with customer service at it's core. From it's humble beginnings A&J has built a strong reputation to become the national supplier it is today.

A&J Sectional Buildings manufacture, deliver and construct a wide selection of quality garden buildings.

Building Standard Specifications

All of our buildings are constructed with the following, unless otherwise stated, full building specifications can be found on pages 56 of this catalogue.

- Tongue & Groove Shiplap boards
- Lock & Key
- Horticultural glass (3mm clear)
- Green Mineral felt (40kg)
- 2x2" (50x50mm) & 2x1" (50x25mm) Framing (planed)
- Heavy duty chipboard flooring on most buildings over 8' x 8'
- Window layouts vary depending on building size
- 18mm moisture resistant chipboard

All buildings are pre-treated with wood preservative prior to delivery, we recommend an annual coating of preservative to ensure longevity of your building.

Contents

Sheds & Storage Systems	4
Workshops & Garages	20
Animal Housing	22
Playhouses	25
Summerhouses	32
Home Offices & Garden Rooms	48
Stables	50
Painted Buildings	51
Latest Editions	52
Base/Floor Size Requirements	55
Building specifications	56

Customer Base Requirements

All customers are requested to provide a prepared level base i.e; concrete, slabs or timber, and made to the correct size for your chosen building, sizing requirements can be found on page 55.



7'x 5' Classic

Apex

- Tongue & Groove Shiplap Boards
- Ledge & Braced Door
- Lock & Key
- Classic or Georgian Windows
- Door & Windows can be positioned in any wall section
- Larger building feature Metal Roof Truss

Specifications available from:

4' x 4' (1220 x 1220mm)



8'x 6' Georgian



10x6 Classic

Pent

- Tongue & Groove Shiplap Boards
- Ledge & Braced Door
- Lock & Key
- Classic or Georgian Windows
- Door & Windows can be positioned in any wall section

Specifications available from:

4' x 4' (1220 x 1220mm)
up to
24' x 12' (7310 x 3600mm)



7'x 5' Georgian

Woodford

- Tongue & Groove Shiplap Boards
- Ledge & Braced Door
- Lock & Key
- Classic or Georgian Windows
- Transverse Roof
- Centre door with window either side requires minimum 7ft front

Specifications available from:

6' x 4' (1800 x 1220mm)



8'x 6' Georgian

Woodford - Georgian Door

- Tongue & Groove Shiplap Boards
- Mortice & Tenon door
- 5 Lever Mortice Lock & Key
- Classic or Georgian Windows
- Transverse Roof
- Centre door with window either side requires minimum 7ft front

Specifications available from:

7' x 4' (2130 x 1220mm)



12'x 8'

Potting Shed

- Tongue & Groove Shiplap Boards
- Ledge & Braced Stable Door
- Lock & Key
- Shelf below window
- 2 Opening Sashes in 9' and above
- Available as Apex or Pent Roof

Specifications available from:

6' x 4' (1800 x 1220mm)



12' x 8'

Potting Shed - Half Glazed Roof (Apex)

- Tongue & Groove Shiplap Boards
- Ledge & Braced Stable Door
- Lock & Key
- Classic Windows
- Shelf below window
- Toughened Roof Glass



Internal View of Glazed Roof

Specifications available from:

6' x 4' (1800 x 1220mm)



8' x 8'

Dutch Barn

- Tongue & Groove Shiplap Boards
- Ledge & Braced Double Doors
- Padlock
- Classic Windows

Specifications available:

8' x 8' (1800 x 1220mm)
10' x 8' (3040 x 1220mm)
12' x 8' (3600 x 1220mm)
14' x 8' (4265 x 1220mm)



10' x 8'

Dutch Barn Deluxe

- Tongue & Groove Shiplap Boards
- Mortice & Tenon Double Door
- 5 Lever Mortice Lock & Key
- Classic Windows
- Window above door
- Storage Platform at Rear
- Felt Tiles available as optional extra (as shown above)

Specifications available:

8' x 8' (1800 x 1220mm)
10' x 8' (3040 x 1220mm)
12' x 8' (3600 x 1220mm)
14' x 8' (4265 x 1220mm)




7' x 7' Classic

Stanwell

- Tongue & Groove Shiplap Boards
- Ledge & Braced Door
- Lock & Key
- Classic or Georgian Windows

Specifications available:





8'x 6'

Euro Chalet

- Tongue & Groove Shiplap or Log lap Boards
- Ledge & Braced Door
- Lock & Key
- Georgian Windows
- Overhang on Roof
- Window Box

Specifications available from:

7' x 5' (2130 x 1500mm)



8'x 6'

Leisure Cabin

- Tongue & Groove Shiplap Boards
- Ledge & Braced Door
- Padbolt
- Georgian Windows
- Overhang on Roof
- Window Box
- Shutters

Specifications available from:

8' x 6' (2400 x 1800mm)



8'x 6'

Hertford

- Tongue & Groove Matchboard
- Mortice & Tenon Fully Glazed Door
- 5 Lever Mortice Lock & Key
- Classic Windows
- Overhang on Roof
- One Opening Window

Specifications available from:

7' x 5' (2130 x 1500mm)
8' x 6' (2400 x 1800mm)
8' x 8' (2400 x 2440mm)

A&J Sectional Buildings Ltd

Tidy

- Tongue & Groove Shiplap Boards
- Ledge & Braced Door
- Padbolt
- Optional Double Doors available on 6ft

Specifications available:

4' x 2'6" (1220 x 762mm)

5' x 2'6" (1520 x 762mm)

6' x 2'6" (1800 x 762mm)



6' x 2'6"

Streamline

- Tongue & Groove Shiplap Boards
- Padbolt
- 2ft door

Specifications available:

6' x 3' (1800 x 914mm)

up to

12' x 3' (3600 x 914mm)



8' x 3'

Tool Shed

- Tongue & Groove Shiplap Boards
- Ledge & Braced Door
- Padbolt

Specifications available:

3' x 3' (914 x 914mm)



3' x 3'



Refuse Store

- Tongue & Groove Shiplap Boards
- 2 Doors
- 2 Padbolts
- 2 Shelves

Specifications available:

5' x ' 3' (1500 x 914mm)



Internal View of Refuse Store

A&J Sectional Buildings Ltd

Space Savers

600

Width & Depth:
600 x 600mm
Height:
1550 (back) x 1500mm (Front)



600



900

900

Width & Depth:
900 x 600mm
Height:
1550 (back) x 1500mm (Front)

1500

Width & Depth:
1500 x 600mm
Height:
1550 (back) x 1500mm (Front)



1500



1500 Internal

Log Store

Width & Depth:
1800 x 760mm
1500 x 760mm
1200 x 760mm
Height:
1500 (back) x 1400mm (Front)





8'x 6'

Dennington Apex

- 5" Tongue and Groove Cladding
- Fixed windows
- Padbolt on door
- 50 x 25 framework
- Dip Coat water based treatment

Specifications available from:

4' x 4' (1220 x 1220mm)

up to

8' X 8' (2440 x 2440mm)



12'x 6' Classic

Barnwell Workshop

- Tongue & Groove Shiplap Boards
- Mortice & Tenon Heavy Duty Doors
- 5 Lever Mortice Lock & Key
- Classic Windows
- 24" Heavy Duty Hinges
- Internal Height of the Eaves are approx 77" (1955mm)
- 18mm Moisture Resistant Chipboard on all Sides

All Barnwell buildings under 8' (2440mm) wide feature a single 2' 6" (762mm) wide door

Specifications available from:

6' x 4' (1800 x 1220mm)



16' x 10'

Barnwell Garage

- Tongue & Groove Shiplap Boards
- Up & Over Garage Door (Timber Clad)
- Optional Side Door
- Classic Windows
- Internal height of the eaves are approx 82" (2080mm).



Specifications available from:

14' x 8' (4260 x 2440mm)



Dog Kennel & Run

- Tongue & Groove Shiplap Boards
- 2x Padbolts
- Metal Bars (10mm approx)

Specifications available:

10' x 4' (3040 x 1220mm) (including 6' run)
Made to Measure also available on requests



7'6" x 7'6"

Chicken Coupe 1

Specifications available on request.





9'x 5'



Rear View



Internal View

Chicken Coupe 2

Specifications available on request.



Snow White

- Tongue & Groove Shiplap Boards
- Mortice & Tenon Doors
- Continuous Door Hinged (For Safety)
- Rollable Catch
- Acrylic Glazing (Curved window)
- Mock Chimney
- Optional Heart Cutout in Door

Specifications available:

7' x 5' (2130 x 1500mm)



8' x 6'

Alpine

- Tongue & Groove Shiplap Boards
- Mortice & Tenon Doors
- Continuous Door Hinged (For Safety)
- Rollable Catch
- Acrylic Glazing (Georgian Windows)
- Loft, Ladder & Safety Rail
- Optional Side Door
- Optional Heart Cutout in Door

Specifications available:

8' x 6' (2400 x 1800mm)
up to
10' x 6' (3040 x 1800mm)



Internal view, showing loft, ladder and safety rail. (Toys not included)



8' x 6'

Alpine with Balcony

- Tongue & Groove Shiplap Boards
- Mortice & Tenon Doors
- Continuous Door Hinged (For Safety)
- Rollable Catch
- Acrylic Glazing (Georgian Windows)
- Loft, Ladder & Safety Rail
- Optional Side Door
- Optional Heart Cutout in Door
- Decking Style Balcony

Specifications available:

8' x 6' (2400 x 1800mm) + 2ft Balcony
up to
10' x 6' (3040 x 1800mm) + 2ft Balcony



Lodge

- Tongue & Groove Shiplap Boards
- Mortice & Tenon Doors
- Continuous Door Hinged (For Safety)
- Rollable Catch
- Acrylic Glazing (Classic Windows)
- Window Box
- Optional Heart Cutout in Door

Specifications available:

6' x 6' (1800 x 1800mm)



Mini Barn

- Tongue & Groove Shiplap Boards
- Mortice & Tenon Doors
- Continuous Door Hinged (For Safety)
- Rollable Catch
- Acrylic Glazing

Specifications available:

6' x 4' (1800 x 1200mm)



6' x 4'

Little House

- Tongue & Groove Shiplap Boards
- Mortice & Tenon Doors
- Continuous Door Hinged (For Safety)
- Rollable Catch
- Acrylic Glazing (Georgian Windows)
- Window Box
- Optional Heart Cutout in Door

Specifications available:

6' x 4' (1800 x 1220mm)

6' x 6' (1800 x 1800mm)



6' x 4' + 2' Balcony

Hideaway

- Tongue & Groove Shiplap Boards
- Mortice & Tenon Doors
- Continuous Door Hinged (For Safety)
- Rollable Catch
- Acrylic Glazing (Georgian window)
- Optional Heart Cutout in Door
- Balcony

Specifications available:

6' x 4' + 2' balcony (1800 x 1220mm +600mm)

6' x 6' + 2' balcony (1800 x 1800mm +600mm)



8' x 6'

Barton

- Tongue & Groove Shiplap Boards
- Mortice & Tenon Doors
- 5 Lever Mortice Lock
- Georgian Windows
- Antique Effect Ironmongery
- Opening Window each Side

Specifications available from:

8' x 6' (2440 x 1880mm)



8' x 6' + 3' Balcony

Barton with Balcony

- Tongue & Groove Shiplap Boards
- Mortice & Tenon Doors
- 5 Lever Mortice Lock
- Georgian Windows
- Antique Effect Ironmongery
- Opening Window each Side
- Attractive Decking style Balcony

Specifications available from:

8' x 6' (2440 x 1800mm) + Balcony 2/3/4ft Available



8' x 6'

Waendal

- Tongue & Groove Shiplap Boards
- Mortice & Tenon Doors
- 5 Lever Mortice Lock
- Classic Windows
- Antique Effect Ironmongery
- Single Top Opening Window each Side

Specifications available from:

7' x 5' (2130 x 1500mm)



8' x 6' + 2' Balcony

Waendal with Balcony

- Tongue & Groove Shiplap Boards
- Mortice & Tenon Doors
- 5 Lever Mortice Lock
- Classic Windows
- Antique Effect Ironmongery
- Single Top Opening Window each Side
- Attractive Decking style Balcony

Specifications available from:

7' x 5' (2130 x 1500mm) + Balcony 2/3/4ft Available



10' x 8'

Wilbye

- Tongue & Groove Shiplap Boards
- Mortice & Tenon Doors
- 5 Lever Mortice Lock
- Georgian Windows
- Antique Effect Ironmongery
- Opening Window each Side

Specifications available from:

8' x 6' (2400 x 1800mm)



10' x 8' + 4' Balcony

Wilbye with Balcony

- Tongue & Groove Shiplap Boards
- Mortice & Tenon Doors
- 5 Lever Mortice Lock
- Georgian Windows
- Antique Effect Ironmongery
- Opening Window each Side
- Attractive Decking style Balcony

Specifications available from:

8' x 6' (2400 x 1800mm) + Balcony 2/3/4ft Available




8' x 8'

Whytewell

- Tongue & Groove Shiplap Boards
- Mortice & Tenon Doors
- 5 Lever Mortice Lock
- Georgian Windows
- Antique Effect Ironmongery
- Opening Window each Side

Specifications available:





8' x 6'

Weybourne

- Tongue & Groove Shiplap Boards
- Mortice & Tenon Doors
- 5 Lever Mortice Lock
- Georgian Windows
- Antique Effect Ironmongery
- Opening Window
- 18mm Moisture Resistant Chipboard
- Toughened Glass as standard

Specifications available:

8' x 6' (2440 x 1800mm)

8' x 8' (2440 x 2440mm)

10' x 6' (3040 x 1800mm)

10' x 8' (3040 x 2440mm)



8' x 6'

Holt

- Tongue & Groove Shiplap Boards
- Mortice & Tenon Doors
- 5 Lever Mortice Lock
- Georgian Windows
- Antique Effect Ironmongery
- Opening Window
- 18mm Moisture Resistant Chipboard
- Toughened Glass as standard

Specifications available:

8' x 6' (2440 x 1800mm)

8' x 8' (2440 x 2440mm)

10' x 6' (3040 x 1800mm)

10' x 8' (3040 x 2440mm)



12' x 8'

Brighton Bow

- Tongue & Groove Shiplap Boards
- Mortice & Tenon Doors
- 5 Lever Mortice Lock
- Georgian Windows
- Antique Effect Ironmongery
- Opening Windows

Specifications available from:

12' x 6' (3600 x 1800mm)



12' x 8'

Brighton Flat

- Tongue & Groove Shiplap Boards
- Mortice & Tenon Doors
- 5 Lever Mortice Lock
- Georgian Windows
- Antique Effect Ironmongery
- Opening Windows

Specifications available from:

12' x 6' (3600 x 1800mm)



10' x 10'

The Leyland

- Tongue & Groove Shiplap Boards
- Mortice & Tenon Doors
- 5 Lever Mortice Lock

Specifications available:

10' x 5' (3040 x 1520mm)
10' x 10' (3040 x 3040mm)
12' x 5' (3655 x 1520mm)
12' x 10' (3655 x 3040mm)



10' x 8'

The Ashby

- Tongue & Groove Shiplap Boards
- Mortice & Tenon Doors
- 5 Lever Mortice Lock

Specifications available from:

8' x 6' (2440 x 1800mm)
up to
10' x 8' (3040 x 2440mm)



10' x 6'

The Charlsbury

- Tongue & Groove Shiplap Boards
- Mortice & Tenon Doors
- 5 Lever Mortice Lock
- Classic Windows
- Pent Roof

Specifications available from:

8' x 6' (2440 x 1800mm)
up to
10' x 8' (3040 x 2440mm)



8' x 7' Building shown in colour treatment - optional extra.

The Aldsworth

- Tongue & Groove Shiplap Boards
- Mortice & Tenon Door
- 5 Lever Mortice Lock
- Antique Effect Ironmongery
- Opening Side Window

Specifications available from:

8' x 7' (2440 x 2130mm)
up to
12' x 7' (3650 x 2130mm)



8' x 8' Diamond Lead Light

Brampton

- Tongue & Groove Log lap Boards
- 5 Lever Mortice Lock
- Antique Effect Ironmongery
- Felt Tiled Roof (Choice of Colours)
- White Lining Inside
- Weathervane on Roof
- Different Window/Door Styles Available



Internal Roof

Specifications available:

8' x 8' (2440 x 2440mm)

10' x 10' (3040 x 3040mm)

12' x 12' (3650 x 3650mm)

A&J Sectional Buildings Ltd



Westleigh Home Office & Garden Room

- 3" x 2" (75mm x 50mm) Framing
- Tongue & Groove Shiplap Boards
- 22mm V313 Flooring
- UPVC or Timber Windows & Doors
- Insulated Floors/Walls/Ceiling
- Choice of Wall Linings
- Metro (Steel Tiles) or Cedar Shingle Roof
- Choice of Colours
- Many Extra's Available

Specifications available:

Buildings Made to Measure to Your Requirements





A&J Sectional Buildings Ltd



50



Stables

- 3" x 2" (75mm x 50mm) Framing
- Tongue & Groove Shiplap Boards
- Mortice & Tenon Doors
- Choice of Window Options
- Onduline or felt Roof
- 18mm Plywood Kick Boards
- Galvanised Fittings

Specifications available:

Buildings Made to Measure to Your Requirements



Painted Buildings

A Selection of Cuprinol Garden & Heritage Shades are available on request for most buildings, please enquire at time of ordering.





Grendon

- Part Shed / Part Greenhouse
- Tongue & Groove Boards
- Ledge & Brace Door
- Lock & Key
- Mortice & Tenon Door
- Padbolt
- Opening Side Window
- Toughened Glass
- Potting Benches
- Part Glazed Roof

Specifications available from:

8' x 4' (2400 x 1200mm)



Evesham

- Tongue & Groove Boards
- Ledge & Brace Door
- Lock & Key
- Classic or Georgian Windows
- Built in 3ft (900mm) Balcony
- Decking Style Balcony Floor

Specifications available from:

8' x 7' (2400 x 2100mm)



Lincoln

- Tongue & Groove Shiplap Boards
- Mortice & Tenon Door
- Continuous Door Hinge
- Rollable Catch
- Acrylic Glazing
- Lofts, Ladders & Safety Rail
- Built in Balcony
- Optional Heart Cutout in Door

Specifications available:

8' x 6' (2400 x 1800mm)

8' X 8' (2400 x 2400mm)

FLOOR SIZES FOR BUILDINGS (All sizes are length x width in inches)

		WIDTH								
		4'	5'	6'	7'	8'	9'	10'	11'	12'
LENGTH	4'	46 x 47	46 x 59	46 x 70	46x 81	46 x 93	46 x 105	46 x 117	46 x 129	46 x 141
	5'	58 x 47	58 x 59	58 x 70	58 x 81	58 x 93	58 x 105	58 x 117	58 x 129	58 x 141
	6'	70 x 47	70 x 59	70 x 70	70 x 81	70 x 93	70 x 105	70 x 117	70 x 129	70 x 141
	7'	82 x 47	82 x 59	82 x 70	82 x 81	82 x 93	82 x 105	82 x 117	82 x 129	82 x 141
	8'	94 x 47	94 x 59	94 x 70	94 x 81	94 x 93	94 x 105	94 x 117	94 x 129	94 x 141
	9'	106 x 47	106 x 59	106 x 70	106 x 81	106 x 93	106 x 105	106 x 117	106 x 129	106 x 141
	10'	118 x 47	118 x 59	118 x 70	118 x 81	118 x 93	118 x 105	118 x 117	118 x 129	118 x 141
	11'	130 x 47	130 x 59	130 x 70	130 x 81	130 x 93	130 x 105	130 x 117	130 x 129	130 x 141
	12'	142 x 47	142 x 59	142 x 70	142 x 81	142 x 93	142 x 105	142 x 117	142 x 129	142 x 141
	13'	154 x 47	154 x 59	154 x 70	154 x 81	154 x 93	154 x 105	154 x 117	154 x 129	154 x 141
	14'	166 x 47	166 x 59	166 x 70	166 x 81	166 x 93	166 x 105	166 x 117	166 x 129	166 x 141
	15'	178 x 47	178 x 59	178 x 70	178 x 81	178 x 93	178 x 105	178 x 117	178 x 129	178 x 141
	16'	190 x 47	190 x 59	190 x 70	190 x 81	190 x 93	190 x 105	190 x 117	190 x 129	190 x 141
	17'	202 x 47	202 x 59	202 x 70	202 x 81	202 x 93	202 x 105	202 x 117	202 x 129	202 x 141
	18'	214 x 47	214 x 59	214 x 70	214 x 81	214 x 93	214 x 105	214 x 117	214 x 129	214 x 141
	19'	226 x 47	226 x 59	226 x 70	226 x 81	226 x 93	226 x 105	226 x 117	226 x 129	226 x 141
	20'	238 x 47	238 x 59	238 x 70	238 x 81	238 x 93	238 x 105	238 x 117	238 x 129	238 x 141
	21'	250 x 47	250 x 59	250 x 70	250 x 81	250 x 93	250 x 105	250 x 117	250 x 129	250 x 141
	22'	262 x 47	262 x 59	262 x 70	262 x 81	262 x 93	262 x 105	262 x 117	262 x 129	262 x 141
	23'	274 x 47	274 x 59	274 x 70	274 x 81	274 x 93	274 x 105	274 x 117	274 x 129	274 x 141
	24'	286 x 47	286 x 59	286 x 70	286 x 81	286 x 93	286 x 105	286 x 117	286 x 129	286 x 141

Metric conversion chart

46" - 1170mm	141" - 3581mm
47" - 1194mm	142" - 3607mm
58" - 1473mm	153" - 3886mm
59" - 1500mm	154" - 3912mm
70" - 1778mm	166" - 4216mm
81" - 2057mm	178" - 4521mm
82" - 2082mm	190" - 4826mm
93" - 2362mm	202" - 5131mm
94" - 2387mm	214" - 5436mm
105" - 2667mm	226" - 5740mm
106" - 2692mm	238" - 6045mm
117" - 2927mm	250" - 6350mm
118" - 2997mm	262" - 6655mm
129" - 3276mm	274" - 6960mm
130" - 3302mm	286" - 7265mm

Buildings Specifications

Standard Range:	1/2" (16mm) Redwood tongue & grooved shiplap.
Workshop Range:	5/8" (19mm) Redwood tongue & grooved shiplap.
Log lap:	5/8" (19mm) Redwood tongue & grooved shiplap.
Floors:	1/2" (16mm) Redwood tongue & grooved matchboard.
Larger Buildings:	3/4" (18mm) Moisture resistant tongue & grooved chipboard
Framing Std Range:	2"x 2" (50x50mm) & 2"x1" (50x25mm)
Workshop Range:	2"x 2" (50x50mm)
Glass:	3mm Horticulture
Playhouses:	3mm Styrene

Window positions & sizes vary depending on size of buildings

Optional Extras

Colour Painted Finish

Log Lap Cladding

Lining & Insulation

Felt Tiles, Cedar Shingles or Metro Steel Tiles

Toughened Glass

Timber Benches